

vinyl wall coverings



Our offering range Newmor is an ISO9001 & ISO14001 certified specialist in commercial & hospitality quality, widewidth fabric-backed vinyl wallcoverings. We have thousands of textured designs & surfaces, customisable digital prints, designer collaborations, and an in-house graphics department. Available in wider rollsize of 1.3mtr x 30mtrs







Bark VBK 116









HES 004



HRB 110

















MAN 003 MAN 010

PEL 005

Raya 02











Raya 06



Toban TOB115



Toban TOB110



TWE002



TWE005



TWE006



Zenith 15.1203



Zenith 15.1205



Zenith 15.1305



Zenith 15.1306



Zenith 15.1405



Zenith 15.1406



Zenith 15.1501



Zenith 15.1502

TECHNICAL SPECIFICATION	
Width x Length	1.3m x 30m
Pattern Repeat	Free Match (normally)
Туре	Wide width fabric-backed vinyl
Availability	Ex-stock ranges/specials made to order
Typical Values	400gsm
Vinyl Weight	310gsm
Substrate type	Polyester/cellulose nonwoven
Substrate weight	90gsm
Recommended Adhesive	Heavy (Suitable for most absorbent surfaces)
Light Fastness BSEN20105 (min)	6
Impact resistance	Pass
Washability	Fully washable and durable
Stain Resistance	1-12 ASTM D-1308-1987 Federal Spot Test
Physical Properties	Conforms to BSEN15102:2007, BSEN259 and Federal Specification on CCC- W-408A & C CFFA Quality Standard for Vinyl Coated Fabric Wallcoverings CFFA-W-101A
Fire Rating	Euroclass B-s2, d0. Class A when tested in accordance with ASTM E-84 Tunnel Test.
Chemical Resistance	Resistant to temporary staining of oils, fats, mild acids and alkalis
Quality Assurance	Manufactured to BSEN ISO9001:2008
LRV	Available on request



Luxury Vinyl Flooring (LVT) • Click N Lock Vinyl Flooring (Click LVT) Woven Vinyl Flooring • Woven Vinyl Wall Covering Sports Vinyl Flooring • Vinyl Wall Covering



VIBRANT FLOORS PRIVATE LIMITED

A-76, 2nd Floor, DDA Shed, Okhla Industrial Area, Phase-2, New Delhi - 110020

